





MAIN

AUX

DMS


UPS1

UPS2

SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.	SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.	SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.	SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.
SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.	SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.	SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.	SAFETY Warning: Do not touch the terminals or wiring inside the panel while the power is on. The panel is energized and the terminals are hot. Use proper safety procedures when working on the panel.

HESCORLS
SPD80K
Series
Surge Protective Device





41405-025P
NEMA APPROVED

04 2020

250 kcmil max
wire size for F


METER SOCKET
ISSUE NO. 813495
SCOTT'S INDUSTRIES, INC.

TALON

GROUNDING WIRE SHALL BE
SECURELY FASTENED TO
THE GROUND TERMINAL LUG
IN THE LINE COMPARTMENT
WITH NO BREAKS IN THE
GROUND WIRE.

100% WIRE CORP. & WIRE CORP.





PDU

UPS DMS

UPS CABINET

CCTV

DMS #2

DMS #1

PWR1 PWR2 R.M. Ring Fault

Console

Reset

15

13

11

9

7

5

3

1

10/100

1000

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100

156/10/12 50/100



POWER SUPPLY
ISOLATION

POWER SUPPLY
ISOLATION

A51
DC BREAKER RAIL

CB1

CB2
24VDC

CB3
24VDC

CB4
24VDC
SPD

